# NORTHERN : STRANDS

#### **RIGGING BLOCK, ELECTRO GALVANIZED**



Sheave Dia (in)	WLL (tons) Weight (lbs)	
3	0.75	2.20
4	1	3.30

\*Ultimate load is 4 times working load limit.

#### LIGHT TYPE SNATCH BLOCK, PAINTED



Sheave Dia (in)	WLL (tons)	Weight (lbs)	Rope Dia (in)	End Fitting
3	2	4.97	3/8	Hook
3	2	3.08	3/8	Shackle
4 1/2	4	12.67	1/2	Hook
4 1/2	4	13.77	1/2	Shackle
6	8	26.40	3/4	Hook
6	8	27.54	3/4	Shackle
8	8	34.76	3/4	Hook
8	8	35.86	3/4	Shackle
10	8	41.80	3/4	Hook
10	8	42.90	3/4	Shackle
12	8	48.40	3/4	Hook
12	8	49.57	3/4	Shackle
14	8	55.00	3/4	Hook
14	8	56.17	3/4	Shackle
16	15	129.80	7/8	Hook
16	15	136.40	7/8	Shackle
18	15	151.80	1	Hook
18	15	158.40	1	Shackle

\*Ultimate load is 4 times working load limit.

#### LIGHT TYPE SNATCH BLOCK, TAIL BOARD, PAINTED



Sheave Dia (in)	WLL (tons)	Weight (lbs)	Rope Dia (in)
3	2	3.08	3/8
4 1/2	4	5.98	1/2
6	8	14.96	3/4
8	8	20.90	3/4
10	8	28.82	3/4
12	8	35.86	3/4

\*Ultimate load is 4 times working load limit.

# NORTHERN STRANDS

#### THE NEW WESTERN BLOCK LINE

If today's technology was available over a century ago . . .

... This is the way Western Blocks would have been produced.

#### 385 Wood Shell Manila Rope Snatch Blocks



- New stock numbers
- New higher working load limits
- Painted or galvanized steel with replaceable wood bumpers
- Laser cut side plate opens for insertion of rope.


- Incorporates exclusive bolt retaining spring to assure no lost bolts, plus utilizes secondary retaining pin.

- Bronze bushed sheaves with larger bearing diamter for extended block life.
- · Lubricated center pin
- 10" and 12" sizes utilize steel sheaves

### 261 - 262 - 263 Standard Steel Shell Blocks for Manila Rope



- Same stock numbers
- Same working load limits
- Same fittings available
- Laser cut side plates
- Painted steel
- Grade 5 bolts secured with lock washers & staked nuts
- Bronze bushed sheaves with larger bearing diameter for extended block life.



- No Straps
- Laser burned side plates
- Every block permanently stamped
- with the following:
  - Working Load Limit
    - Block Size
    - Rope Size

### **301 - 302 - 302 Steel Shell Blocks for Manila Rope**

- Same stock numbers
- Same working load limits
- Same fittings available
- Laser cut side plates
- Galvanized steel
- Grade 5 bolts secured with lock washers and staked nuts
- Bronze bushed sheaves with larger bearing diameter for extended block life

BLOCKS

• New style hanger for fitting attachment

### **390 Steel Shell Manila Rope** Snatch Blocks

- New stock numbers
- New higher working load limits
- Painted or galvanized steel
- Laser cut side plate opens for insertion of rope.
- Incorporates exclusive bolt retaining spring to assure no lost bolts, plus utilizes secondary retaining pin.
- Bronze bushed sheaves with larger bearing diameter for extended block life.
- Lubricated center pin
- 10" and 12" sizes utilize steel sheaves



# NORTHERN : STRANDS

#### 411 - 412 - 413 Steel Shell Blocks for Synthetic Rope



- Same stock numbers
- Same working load limits
- Same fittings available
- · Laser cut side plates
- · Painted steel
- Grade 5 bolts secured with lock washers & staked nuts

• Bronze bushed sheaves with larger bearing diameter for extended block life

#### **130 - 135 Painter's Supply Blocks for Manila Rope**

- Same stock numbers
- Same working load limits
- Same fittings available
- Laser cut side plates
- · Galvanized steel
- Grade 5 bolts secured with lock washers & staked nuts
- Replaceable wood bumpers
- Bronze bushed sheaves with larger bearing diameter
- for extended block life.

#### 21 - 22 - 23 Wood Shell Blocks for Manila Rope



- Same stock numbers
- Same working load limits
- Same fittings available
- · Laser cut side plates
- Galvanized steel
- Grade 5 bolts secured with lock washers & staked nuts
- Replaceable wood bumpers

• Bronze bushed sheaves with larger bearing diameter for extended block life.

# 641 - 642 Diamond Pattern & 661 - 662 Oval Pattern Blocks

- Same stock numbers
- Same working load limits
- Same fittings available
- Laser cut side plates
- Grade 5 bolts secured with lock washers & staked nuts

• All sizes feature bronze bushed steel sheaves with larger bearing diameter for extended block life.

• Lubricated center pin available upon request

- New style hanger for fitting attachment
- Available with hanger only
- (on fitting) upon request.

## 261 - 262 5" Steel Shell Blocks for Wire Rope



